

Naifeo®

— 5 in 1 Hand Blender —

Make Cooking More Convenient & Faster



永康市耐菲欧科技有限公司

YONGKANG NAIFEOTECHNOLOGY CO., LTD.

CE EMC RoHS LFGB



NF-8001A

NF-8001B

NF-8001

Voltage: AC220-240V, 50/60HZ

Power: 300W

Blade: 304# stainless steel

Color box size: 7x7x38.8cm

Carton size: 44x44x40.5cm (36PCS)



NF-8002A

NF-8002B

NF-8002

Voltage: AC220-240V, 50/60HZ

Power: 300W

Blade: 304# stainless steel

Color box size: 7x7x38.8cm

Carton size: 44x44x40.5cm (36PCS)



NF-8003A

NF-8003B

NF-8003

Voltage: AC220-240V, 50/60HZ

Power: 300W

Blade: 304# stainless steel

Color box size: 7.5x7.5x37.3cm

Carton size: 47x47x40.5cm (36PCS)



NF-8003S

Voltage: AC220-240V, 50/60HZ

Power: 340W

Blade: 304# stainless steel

Color box size: 20.9x14.9x21.5cm

Carton size: 65x47x45cm (18pcs)



NF-8004A

NF-8004B

NF-8004

Voltage: AC220-240V, 50/60HZ

Power: 300W

Blade: 304# stainless steel

Color box size: 7.5x7.5x37.3cm

Carton size: 47x47x39cm (36PCS)



NF-8004S

Voltage: AC220-240V, 50/60HZ

Power: 340W

Blade: 304# stainless steel

Color box size: 20.9x14.9x21.5cm

Carton size: 65x47x45cm (18pcs)



NF-8005A

NF-8005B

NF-8005

Voltage: AC220-240V, 50/60HZ

Power: 1000W

Blade: 304# stainless steel

Color box size: 7x7x38.8cm

Carton size: 44x44x40.5cm (36PCS)



NF-8005S

Voltage: AC220-240V, 50/60HZ

Power: 1000W

Blade: 304# stainless steel

Color box size: 20.9x14.9x21.5cm

Carton size: 65x47x45cm (18pcs)



NF-8006A

NF-8006B

NF-8006

Voltage: AC220-240V, 50/60HZ

Power: 300W

Blade: 304# stainless steel

Color box size: 7.5x7.5x37.3cm

Carton size: 47x47x39cm (36PCS)



NF-8006S

Voltage: AC220-240V, 50/60HZ
 Power: 340W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x21.5cm
 Carton size: 65x47x45cm (18pcs)



NF-8007A NF-8007B

NF-8007

Voltage: AC220-240V, 50/60HZ
 Power: 300W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x37.3cm
 Carton size: 47x47x39cm (36PCS)



NF-8007S

Voltage: AC220-240V, 50/60HZ
 Power: 340W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x21.5cm
 Carton size: 65x47x45cm (18pcs)



BLACK

RED

NF-8008

Voltage: AC220-240V, 50/60HZ
 Power: 300W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x37.3cm
 Carton size: 47x47x39cm (36PCS)



NF-8008S

Voltage: AC220-240V, 50/60HZ
 Power: 340W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x21.5cm
 Carton size: 65x47x45cm (18pcs)



NF-8009A

NF-8009B

NF-8009

Voltage: AC220-240V, 50/60HZ
 Power: 300W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x40.5cm
 Carton size: 47x47x42.5cm (36PCS)



NF-8009S

Voltage: AC220-240V, 50/60HZ
 Power: 370W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



NF-8010

Voltage: AC220-240V, 50/60HZ
 Power: 300W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x40.5cm
 Carton size: 47x47x42.5cm (36PCS)



NF-8010B

Voltage: AC220-240V, 50/60HZ
 Power: 300W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x40.5cm
 Carton size: 47x47x42.5cm (36PCS)



NF-8010BS

Voltage: AC220-240V, 50/60HZ
 Power: 370W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



NF-8010C

Voltage: AC220-240V, 50/60HZ
 Power: 300W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x40.5cm
 Carton size: 47x47x42.5cm (36PCS)



NF-8010CS

Voltage: AC220-240V, 50/60HZ
 Power: 370W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



NF-8010S

Voltage: AC220-240V, 50/60HZ
 Power: 370W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



NF-8011

Voltage: AC220-240V, 50/60HZ
 Power: AC motor 300W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x42.5cm
 Carton size: 47x32x44.5cm (24PCS)



NF-8011S

Voltage: AC220-240V, 50/60HZ
 Power: AC motor 300W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



NF-8012

Voltage: AC220-240V, 50/60HZ
 Power: AC motor 500W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x42.5cm
 Carton size: 47x32x44.5cm (24PCS)



NF-8012S

Voltage: AC220-240V, 50/60HZ
 Power: AC motor 500W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23.7cm
 Carton size: 65x32x49.5cm (12PCS)



NF-8013

Voltage: AC220-240V, 50/60HZ
 Power: AC motor 500W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x42.5cm
 Carton size: 47x32x44.5cm (24PCS)



NF-8013S

Voltage: AC220-240V, 50/60HZ
 Power: AC motor 500W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



NF-8014A NF-8014B

NF-8014

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 1000W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x42.5cm
 Carton size: 47x32x44.5cm (24PCS)



NF-8014S

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 1000W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



NF-9001A

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 1000W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x42.5cm
 Carton size: 47x32x44.5cm (24PCS)



NF-9001AS

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 1000W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



NF-9001B

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 1000W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x42.5cm
 Carton size: 47x32x44.5cm (24PCS)



NF-9001BS

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 1000W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



NF-9001C

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 1000W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x42.5cm
 Carton size: 47x32x44.5cm (24PCS)



NF-9001CS

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 1000W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



NF-9002A

NF-9002B

NF-9002

Voltage: AC220-240V, 50/60HZ

Power: DC motor 400W

Blade: 304# stainless steel

Color box size: 7.5x7.5x40.5cm

Carton size: 47x47x42.5cm (36PCS)



NF-9002S

Voltage: AC220-240V, 50/60HZ

Power: DC motor 400W

Blade: 304# stainless steel

Color box size: 20.9x14.9x23cm

Carton size: 65x47x48cm (18PCS)



NF-9003

Voltage: AC220-240V, 50/60HZ

Power: DC motor 400W

Blade: 304# stainless steel

Color box size: 7.5x7.5x42.5cm

Carton size: 47x32x44.5cm (24PCS)



NF-9003S

Voltage: AC220-240V, 50/60HZ

Power: DC motor 400W

Blade: 304# stainless steel

Color box size: 20.9x14.9x23cm

Carton size: 65x47x48cm (18PCS)



NF-9004

Voltage: AC220-240V, 50/60HZ

Power: DC motor 400W

Blade: 304# stainless steel

Color box size: 7.5x7.5x42.5cm

Carton size: 47x32x44.5cm (24PCS)



NF-9004S

Voltage: AC220-240V, 50/60HZ

Power: DC motor 400W

Blade: 304# stainless steel

Color box size: 20.9x14.9x23cm

Carton size: 65x47x48cm (18PCS)



NF-9005A

NF-9005B

NF-9005

Voltage: AC220-240V, 50/60HZ

Power: DC motor 400W

Blade: 304# stainless steel

Color box size: 7.5x7.5x42.5cm

Carton size: 47x32x44.5cm (24PCS)



NF-9005S

Voltage: AC220-240V, 50/60HZ

Power: DC motor 400W

Blade: 304# stainless steel

Color box size: 20.9x14.9x23cm

Carton size: 65x47x48cm (18PCS)



NF-9006

Voltage: AC220-240V, 50/60HZ

Power: DC motor 400W

Blade: 304# stainless steel

Color box size: 7.5x7.5x42.5cm

Carton size: 47x32x44.5cm (24PCS)



NF-9006S

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 400W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)




NF-9007

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 400W
 Blade: 304# stainless steel
 Color box size: 7.5x7.5x42.5cm
 Carton size: 47x32x44.5cm (24PCS)



NF-9007S

Voltage: AC220-240V, 50/60HZ
 Power: DC motor 400W
 Blade: 304# stainless steel
 Color box size: 20.9x14.9x23cm
 Carton size: 65x47x48cm (18PCS)



AC5420/4620 MOTOR

300W power
 cooking fast as wind
 Choose copper motor, stable operation,
 light load, long service life, not easy to wear

MORE ACCESSORIES TO CHOOSE FROM



**MULTIFUNCTIONAL
 FOOD PROCESSOR
 ONE CLICK 1000W
 SPEED ENJOY**

BEATEN EGG WHISK | MINCE | MILKSHAKE | BABY FOOD




ABOUT NAFEIO

永康耐菲欧科技有限公司是一家座落于浙江永康的，集生产、开发、销售于一体的专业的料理棒生产厂家。本公司自有配套核心配件-54系列电机，质优，价美。目前有20余款各种款式的料理棒可供选择，并且持续开发中，拥有CE,EMC,ROSH,LFGB等国内外知名产品认证，产品远销世界各地。可提供定制服务。

Yongkang Naifeo Technology Co., Ltd. is a professional hand blender manufacturer located in Yongkang, Zhejiang, integrating production, development and sales. The company has its own supporting core accessories - 54 series motors, with high quality and good price. At present, there are more than 20 different models for choose, and they are under continuous development. We have CE, EMC, ROHS, LFGB and other well-known product certifications, and the products are exported to all over the world. We accept OEM and ODM.

<CERTIFICATES>



Naifeo®

永康市耐菲欧科技有限公司
YONGKANG NAFEIO TECHNOLOGY CO., LTD.

地址：浙江省永康市城西新区丹桂南路66号
ADD: NO.66 SOUTH OF DANGUI ROAD, XICHENG STREET,
YONGKANG CITY, ZHEJIANG PROVINCE

